

- 15
- (b) a nucleic acid encoding amino acids 248 to 331 of SEQ ID NO:2;
 - (c) a nucleic acid encoding amino acids 2 to 335 of SEQ ID NO:2;
 - (d) a nucleic acid encoding amino acids 1 to 335 of SEQ ID NO:2; and
 - (e) a nucleic acid encoding the complete amino acid sequence encoded

by the cDNA clone contained in ATCC Deposit No. 203072;

wherein said first nucleic acid encodes a polypeptide which binds with specificity to antibodies having specificity for a polypeptide consisting of amino acids 1 to 335 of SEQ ID NO:2.

51. (Twice amended) An isolated polynucleotide comprising a nucleic acid encoding a first amino acid sequence at least 90% identical to a reference amino acid sequence selected from the group consisting of:

- 16
- (a) amino acids 142 to 211 of SEQ ID NO:2;
 - (b) amino acids 248 to 331 of SEQ ID NO:2;
 - (c) amino acids 2 to 335 of SEQ ID NO:2;
 - (d) amino acids 1 to 335 of SEQ ID NO:2; and
 - (e) the complete amino acid sequence encoded by the cDNA clone

contained in ATCC Deposit No. 203072;

wherein said nucleic acid encodes a polypeptide which binds with specificity to antibodies having specificity for a polypeptide consisting of amino acids 1 to 335 of SEQ ID NO:2.

105. (Three times amended) An isolated polynucleotide comprising a nucleic acid at least 95% identical to a nucleic acid encoding at least 70 contiguous amino acids of SEQ ID NO:2;
wherein said nucleic acid encodes a polypeptide which binds with specificity to antibodies having specificity for a polypeptide consisting of amino acids 1 to 335 of SEQ ID NO:2.

107. (Three times amended) An isolated polynucleotide comprising a nucleic acid at least 95% identical to a nucleic acid encoding at least 80 contiguous amino acids of SEQ ID NO:2;
wherein said nucleic acid encodes a polypeptide which binds with specificity to antibodies having specificity for a polypeptide consisting of amino acids 1 to 335 of SEQ ID NO:2.

109. (Twice amended) An isolated polynucleotide comprising a nucleic acid at least 95% identical to a nucleic acid encoding at least 100 contiguous amino acids of SEQ ID NO:2;
wherein said nucleic acid encodes a polypeptide which binds with specificity to antibodies having specificity for a polypeptide consisting of amino acids 1 to 335 of SEQ ID NO:2.

111. (Twice amended) An isolated polynucleotide comprising a nucleic acid at least 95% identical to a nucleic acid encoding at least 150 contiguous amino acids of SEQ ID NO:2;
wherein said nucleic acid encodes a polypeptide which binds with specificity to antibodies having specificity for a polypeptide consisting of amino acids 1 to 335 of SEQ ID NO:2.

11
128. (Three times amended) An isolated polynucleotide comprising a nucleic acid encoding an amino acid sequence from position m to position n of SEQ ID NO:2, wherein m is an integer from 2 to 236, n is an integer from 243 to 335; and m is less than n.

12
137. (Three times amended) A polynucleotide comprising a nucleic acid fused in frame to a nucleotide sequence heterologous to SEQ ID NO:1, wherein said heterologous nucleotide sequence encodes a heterologous polypeptide, and wherein said nucleic acid is selected from the group consisting of:

- (a) a nucleic acid encoding amino acids 279 to 287 of SEQ ID NO:2;
- (b) a nucleic acid encoding amino acids 292 to 300 of SEQ ID NO:2; and
- (c) a nucleic acid encoding amino acids 317 to 325 of SEQ ID NO:2.

13
14
154. (Once Amended) A method of producing the polypeptide encoded by the polynucleotide of claim 149, comprising culturing a host cell comprising said polynucleotide under conditions such that said polypeptide is expressed, and recovering said polypeptide.

Please add the following new claim:

14
156. (New) The isolated polynucleotide of claim 128, wherein said nucleic acid encodes an amino acid sequence at least 20 amino acids in length.